



Quality is in our nature

Automatic transmission fluids - Fully Synthetic

Eurol ATF 4100

Automatic transmission fluid, especially for Chrysler

Description

Eurol ATF 4100 is a fully synthetic automatic transmission fluid and particularly recommended for Chrysler automatic transmissions. This product is also suitable for power steering systems and hydraulic systems, where an excellent low temperature fluidity is required.

Eurol 4100 has a high and very stable viscosity index and offers a high resistance against mechanical demolition, corrosion and foam building. Moreover, it has good anti-oxidation and anti-wear properties.

Eurol ATF 4100 has an extremely low pour point, allowing easy gear shifting at cold starts. Seals are not affected by this fluid.

Eurol ATF 4100 meets the ATF+4 (MS-9602) service fill specification and replaces ATF+3 (MS-7176).

Eurol ATF 4100 is especially recommended for top-up or re-fill after repair/revision of Chrysler automatic transmissions where an ATF+3 and ATF+4 are prescribed.

Specifications

Performance level

Mopar ATF +3 (MS 7176E)

Mopar ATF +4 (MS-9602)

Mopar ATF+ (MS 7176)

Mopar ATF+2 (MS 7176D)

Recommended for use

MS-9602

Physical properties

Colour	Red	
Density at 20°C	0.845 kg/l	ASTM D 1298
Viscosity, kinematic at 40°C	35.5 cSt	ASTM D 445
Viscosity, kinematic at 100°C	7.4 cSt	ASTM D 445
Viscosity Index	181	ASTM D 2270
Flash point	197 °C	ASTM D 93
Pour point	-48 °C	ASTM D 97

Available in 1L - 60L - 200L - 210L

E113655

Version 1.1, 30-01-2019

This sheet contains recommendations or suggestions on properties and possible applications of Eurol products. Because of continuous product research and development, the information in this document can be changed at all times, without foregoing notice. The analytical information in this document consists of typical incorrectness of the text. The reader is advised to make the final product choice in dialogue with the supplier.

Eurol B.V. Energiestraat 12, 7442 DA Nijverdal, Netherlands, tel. +31 88 250 22 00, fax +31 548 61 01 95, info@eurol.com, www.eurol.com